

# Package: lomb (via r-universe)

August 24, 2024

**Type** Package

**Title** Lomb-Scargle Periodogram

**Version** 2.5.0

**Date** 2024-03-26

**Maintainer** Thomas Ruf <Thomas.P.Ruf@me.com>

**Description** Computes the Lomb-Scargle Periodogram and actogram for evenly or unevenly sampled time series. Includes a randomization procedure to obtain exact p-values. Partially based on C original by Press et al. (Numerical Recipes) and the Python module Astropy. For more information see Ruf, T. (1999). The Lomb-Scargle periodogram in biological rhythm research: analysis of incomplete and unequally spaced time-series. Biological Rhythm Research, 30(2), 178-201.

**License** GPL (>= 3)

**Encoding** UTF-8

**LazyData** true

**Imports** ggplot2, gridExtra, plotly, pracma, knitr

**RoxygenNote** 7.1.2

**NeedsCompilation** no

**Depends** R (>= 3.50)

**Config/testthat/edition** 3

**Suggests** testthat (>= 3.0.0), rmarkdown

**VignetteBuilder** knitr

**Repository** <https://thomaspruf.r-universe.dev>

**RemoteUrl** <https://github.com/thomaspruf/lomb>

**RemoteRef** HEAD

**RemoteSha** 0827ec1223bbc5de10e178bb438a6dfbced23f28

## Contents

lomb-package . . . . .	2
actogram . . . . .	3
caradat . . . . .	4
deerdat . . . . .	5
getpeaks . . . . .	5
ggamma . . . . .	6
ibex . . . . .	7
layla . . . . .	8
levopt . . . . .	8
lsp . . . . .	9
makedf . . . . .	12
pvalue . . . . .	12
pershow . . . . .	14
photoperiod . . . . .	14
plot.lsp . . . . .	15
randlsp . . . . .	16
summary.lsp . . . . .	18
summary.randlsp . . . . .	19
theme_lsp . . . . .	21

<b>Index</b>	<b>22</b>
--------------	-----------

---

lomb-package	<i>Lomb-Scargle Periodogram</i>
--------------	---------------------------------

---

## Description

The Lomb-Scargle periodogram is the most widely used method to detect even weak periodic components in unequally sampled time series. It can also be used for equally sampled time series. The package also plots actograms and converts them to periodograms.

## Details

Package: lomb  
 Type: Package  
 Version: 2.1.0  
 Date: 2022-02-22  
 License: GPL-3

Function `lsp` computes the Lomb-Scargle periodogram for unevenly sampled time series (e.g., series with missing data). P-values for the highest peak in the periodogram are computed from the exponential distribution. Alternatively, function `randlsp` computes a p-value for the largest peak in the periodogram by repeatedly randomising the time-series sequence. Both functions allow setting the range of frequencies to be inspected, as well as the stepsize (oversampling factor) used for frequency scanning. Function `actogram` plots actograms and function `makedf` prepares them for `lsp`.

**Author(s)**

Thomas Ruf  
 Department of Interdisciplinary Life Sciences,  
 University of Veterinary Medicine, Vienna, Austria  
 Maintainer: Thomas Ruf <thomas.p.ruf@me.com>

**References**

Ruf, T. (1999) The Lomb-Scargle Periodogram in Biological Rhythm Research: Analysis of Incomplete and Unequally Spaced Time-Series. *Biological Rhythm Research* **30**: 178–201

**Examples**

```
data(lynx)
lsp(lynx)
```

---

 actogram

*Plot actogram*


---

**Description**

plots an actogram for a time series with irregular (or regular) sampling intervals.

**Usage**

```
actogram(date, response, from, to, scalefac, subtract, dble,
  dig, border, fill, grad, lwd, photo, latitude, longitude, zone, twilight)
```

**Arguments**

date	data datetime, format as in as.Date
response	which variable to plot
from	date for start of subsection
to	date for end of subsection
scalefac	one day is 1.0 wide. Use >1 if plots are exaggerated
subtract	value to subtract from response.
dble	logical Double plot? Ie day1 day2, day2 day3, day3 day4 ...
dig	logical Digitize to 0 1 based on mean?
border	border_colour of rectangle edges
fill	colour of rectangle fills, relevant only if timepoint separation is large
grad	logical Plot gradient?
lwd	line width of rectangles
photo	logical Plot photoperiod? Photo is true when location is entered.

latitude	animal location
longitude	animal location
zone	time zone of location. Default:0 = Greenwich
twilight	"rise/set", "civil" or "nautic"

### Details

This function plots actograms of both unevenly and evenly sampled data. It only requires data in standard R format, no special rhythms format is necessary.

### Examples

```
## Not run:

data(caradat)
actogram(caradat$Date, caradat$Activity, dble=TRUE, photo=FALSE, dig=TRUE, fill="blue")

data(deerdat)
actogram(deerdat$Zeit, deerdat$Akt, grad=TRUE, from="2010-10-01 00:00:00", to="2011-03-31 00:00:00",
latitude=47.1415, longitude=9.5215, zone=1, twilight="nautic")

## End(Not run)
```

---

caradat	<i>Locomotor activity of a Carabid beetle.</i>
---------	--

---

### Description

Locomotor activity of a blind beetle.

### Usage

```
data("caradat")
```

### Format

A data frame with 2014 observations on the following 2 variables.

**Date** a numeric vector with date and time of day

**Activity** a numeric vector of locomotor activity

### Details

activity under DD in a cave observed at UNEVEN intervals.

### Source

The data were kindly provided by F. Weber, Münster, Germany. All the experiments were carried out between 1973 and 1980. The dates (but not their order and times) in the file are fictitious.

---

deerdat	<i>Locomotor activity of a deer.</i>
---------	--------------------------------------

---

**Description**

Locomotor activity and other variables of a red deer free-living in the alps.

**Usage**

```
data("deerdat")
```

**Format**

A data frame with 293826 observations on the following 9 variables.

id animal ID  
Tiernummer again  
Halsbandnummer collar number  
Zeit time  
RepeaterTemp gevice temperature  
Bodytemp body temperature  
Kopfwechsel number of head down movements  
KopfuntenzeitSek time head down  
Akt activity

**Examples**

```
data(deerdat)  
## maybe str(deerdat) ; plot(deerdat) ...
```

---

getpeaks	<i>Retrieve periodogram peaks</i>
----------	-----------------------------------

---

**Description**

Retrieves and displays the npeaks largest peaks in the periodogram-

**Usage**

```
getpeaks(object, npeaks, plotit)
```

**Arguments**

object	object must be of class "lsp"
npeaks	number of peaks to get
plotit	if TRUE show plot

**Value**

Returns a list with

data	A dataframe with times and heights of peaks
plot	An annotated periodogram

**Author(s)**

Thomas Ruf <thomas.p.ruf@me.com>

**See Also**

[show](#)

**Examples**

```
per=lsp(lynx,ofac=5)
getpeaks(per,6) # obtain the 6 largest peaks
```

---

ggamma

*Utility function called by pbaluev()*

---

**Description**

From astropy.timeseries

**Usage**

```
ggamma(N)
```

**Arguments**

N	A positive number
---	-------------------

**Value**

$\sqrt{2 / N} * \exp(\lgamma(N / 2) - \lgamma((N - 1) / 2))$

**Author(s)**

Thomas Ruf <thomas.p.ruf@me.com>

## References

VanderPlas, J. & Ivezić, Z. (2015) Periodograms for Multiband Astronomical Time Series. *The Astrophysical Journal* **812.1**:18

## See Also

[pvaluev](#)

## Examples

```
ggamma(3)
```

---

ibex

*Rumen Temperature In An Alpine Ibex*

---

## Description

Telemetric measurements of rumen temperature in a free-living alpine ibex (*Capra ibex*) measured at unequal time intervals.

## Usage

```
data(ibex)
```

## Format

A data frame with 1201 observations on 3 variables.

**date** a character variable giving date and time of measurements.

**hours** a numerical variable giving hours elapsed since the first measurement.

**temp** a numerical variable giving rumen (stomach) temperature in degrees Celsius.

## Source

A subset of data from Signer, C., Ruf, T., Arnold, W. (2011) *Functional Ecology* **25**: 537-547.

## Examples

```
data(ibex)
datetime <- as.POSIXlt(ibex$date)
plot(datetime, ibex$temp, pch=19, cex=0.3)
```

layla                      *Activiy of a dog.*

---

**Description**

activity and body temperature of a domestic dog in summer

**Usage**

```
data("layla")
```

**Format**

A data frame with 10120 observations on the following 4 variables.

**Id** a vector with animal ID

**Date** a vector with date and time of day

**Temperature** a numeric vector of body temperature

**Activity** a numeric vector of kocomtor activity

**Examples**

```
data(layla)
## maybe str(layla) ; plot(layla) ...
```

---

levopt                      *compute level*

---

**Description**

utility function to determine deviation from p-value

**Usage**

```
levopt(x, alpha, fmax, tm)
```

**Arguments**

x	vector with start values
alpha	desired significance level
fmax	the highest frequency inspected
tm	a vector with measurement timepoints



**Value**

$(\log(\text{prob}) - \log(\alpha))^2$

**Author(s)**

Thomas Ruf <thomas.p.ruf@me.com>

---

lsp *Lomb-Scargle Periodogram*

---

**Description**

Computes the Lomb-Scargle periodogram for a time series with irregular (or regular) sampling intervals. Allows selecting a frequency range to be inspected, as well as the spacing of frequencies scanned.

**Usage**

```
lsp(x, times = NULL, from = NULL, to = NULL, type = c("frequency", "period"),
    ofac = 1, alpha = 0.01, normalize=c("standard","press"), plot = TRUE, ...)
```

**Arguments**

x	The data to be analysed. x can be either a two-column numerical dataframe or matrix, with sampling times in column 1 and measurements in column 2, a single numerical vector containing measurements, or a single vector <code>ts</code> object (which will be converted to a numerical vector).
times	If x is a single vector, times can be provided as a numerical vector of equal length containing sampling times. If x is a vector and times is NULL, the data are assumed to be equally sampled and times is set to <code>1:length(x)</code> .
from	The starting frequency (or period, depending on type) to begin scanning for periodic components.
to	The highest frequency (or period, depending on type) to scan.
type	Either “frequency” (the default) or “period”. Determines the type of the periodogram x-axis.
ofac	The oversampling factor. Must be an integer $\geq 1$ . Larger values of ofac lead to finer scanning of frequencies but may be time-consuming for large datasets and/or large frequency ranges (from...to).
alpha	The significance level. The periodogram plot shows a horizontal dashed line. Periodogram peaks exceeding this line can be considered significant at alpha. Defaults to 0.01. Only used if <code>plot=TRUE</code> .

normalize	The type of normalization used, either “standard” or “press”. If normalization is standard (the default) the periodogram is confined to the interval 0-1, and the statistical significance of the largest peak in the periodogram is computed according to Baluev (2008).if normalization is set to “press” the periodogram will be normalized using the factor $1/(2 * \text{var}(y))$ and the p-value for the significance of the largest peak in the periodogram is computed from the exponential distribution, as outlined in Press et al. (1994), see below
plot	Logical. If plot=TRUE the periodogram is plotted.
...	Further graphical parameters affecting the periodogram plot.

### Details

For a more robust - but potentially time-consuming estimation of p-values (when n is large) see [randlsp](#).

Significance levels in both lsp and [randlsp](#) increase with the number of frequencies inspected. Therefore, if the frequency-range of interest can be narrowed down *a priori*, use arguments “from” and “to” to do so.

### Value

A named list with the following components:

normalize	The type of normalization used.
scanned	A vector containing the frequencies/periods scanned.
power	A vector containing the normalised power corresponding to scanned frequencies/periods.
data	Names of the data vectors analysed.
n	The length of the data vector.
type	The periodogram type used, either "frequency" or "period".
ofac	The oversampling factor used.
n.out	The length of the output (powers). This can be >n if ofac >1.
alpha	The false alarm probability used.
sig.level	Powers > sig.level can be considered significant peaks at p=alpha.
peak	The maximum power in the frequency/period interval inspected.
peak.at	The frequency/period at which the maximum peak occurred.
p.value	The probability that the maximum peak occurred by chance.

### Note

For a description of the properties of the Lomb-Scargle Periodogram, its computation and comparison with other methods see Ruf, T. (1999). Function lsp uses the algorithm given by Press et al (1994). The Lomb-Scargle Periodogram was originally proposed by Lomb N.R. (1976) and further extended by Scargle J.D. (1982). An improved method for assessing the statistical significance of candidate periodicities by Baluev (2008), based on extreme value theory, is also implemented. This implementation uses code modified from the astropy.timeseries Python package (VanderPlas et al. 2012, 2015).

**Author(s)**

Thomas Ruf <thomas.p.ruf@me.com> based on code by Press et al (1994).

**References**

- Baluev, R. V. (2008). Assessing the statistical significance of periodogram peaks. *Monthly Notices of the Royal Astronomical Society*, **385**(3), 1279-1285.
- Lomb N.R. (1976) Least-squares frequency analysis of unequally spaced data. *Astrophysics and Space Science* **39**:447–462
- Press W.H., Teukolsky S.A., Vetterling S.T., Flannery, B.P. (1994) *Numerical recipes in C: the art of scientific computing*. 2nd edition. Cambridge University Press, Cambridge, 994pp.
- Ruf, T. (1999) The Lomb-Scargle Periodogram in Biological Rhythm Research: Analysis of Incomplete and Unequally Spaced Time-Series. *Biological Rhythm Research* **30**: 178–201.
- Scargle J.D. (1982) Studies in astronomical time series. II. Statistical aspects of spectral analysis of unevenly spaced data. *The Astrophysical Journal* **302**: 757–763.
- VanderPlas, J., Connolly, A. Ivezic, Z. & Gray, A. (2012) Introduction to astroML: Machine learning for astrophysics. *Proceedings of the Conference on Intelligent Data Understanding*
- VanderPlas, J. & Ivezic, Z. (2015) Periodograms for Multiband Astronomical Time Series. *The Astrophysical Journal* **812**.1:18

**See Also**

[randlsp summary.lsp](#)

**Examples**

```
# ibex contains an unevenly sampled time series
data(ibex)
lsp(ibex[,2:3],ofac=5)
lsp(ibex$temp,times=ibex$hours,type='period',ofac=5)

# lynx contains evenly sampled data
lsp(lynx)
lynx.spec <- lsp(lynx,type='period',from=2,to=20,ofac=5)
summary(lynx.spec)

# generate unevenly sampled data
time=(runif(200,1,1000))
y=2*cos(time/6)+rnorm(200,0,4)
lsp(y,times=time,ofac=10, to=0.3)
```

---

makedf	<i>makes a data.frame from an actogram for lsp</i>
--------	--

---

### Description

Converts an actogram to a periodogram

### Usage

```
makedf(tvar, pvar)
```

### Arguments

tvar	data datetime
pvar	which variable to plot

### Value

a data.frame with two colums: time and variable (eg. activity)

### Examples

```
## Not run:
```

```
data(caradat) #unevenly sampled
focus=actogram(caradat$Date, caradat$Activity, dble=TRUE, photo=FALSE, zone=1,
  from="1970-01-01 00:00:00", to="1970-01-14 00:00:00")
df=makedf (focus$date, focus$plotvar)
lsp(df, type="period", ofac=5, from=12, to=36)
```

```
data(layla) #evenly sampled
focus=actogram(layla$Date, layla$Activity, latitude=48.20, longitude=16.37, zone=2, dig=TRUE)
df=makedf (focus$date, focus$plotvar)
lsp(df, type="period", ofac=5, from=20, to=50)
```

```
## End(Not run)
```

---

pvaluev	<i>False alarm probability</i>
---------	--------------------------------

---

### Description

Computes the statistical significance of peaks (range 0-1) in the standardized perodogram. Typically not called by the user.

### Usage

```
pbaluev(Z, fmax, tm)
```

### Arguments

Z	the height of a periodogram peak
fmax	the highest frequency inspected
tm	a vector with measurement timepoints

### Details

Based on results in extreme value theory, improved analytic estimations of false alarm probabilities are given.

### Value

Returns the significance of the largest peak in the periodogram.

### Note

Code based on `astropy.timeseries`

### Author(s)

Thomas Ruf <[thomas.p.ruf@me.com](mailto:thomas.p.ruf@me.com)>.

### References

Baluev, R. V. (2008). Assessing the statistical significance of periodogram peaks. *Monthly Notices of the Royal Astronomical Society*, **385**(3), 1279-1285.

### See Also

[summary.lsp](#)

### Examples

```
pbaluev(0.19, 2.0, 1:100)
```

---

pershow	<i>show periodogram</i>
---------	-------------------------

---

**Description**

Shows a periodogram in browser window as line and dot plot. When moving the cursor close to dots times an peak-heights of the periodogram are shown.

**Usage**

```
pershow(object) # object of class "lsp"
```

**Arguments**

object            an object of class "lsp"

**Author(s)**

Thomas Ruf <thomas.p.ruf@me.com>

**See Also**

[getpeaks](#)

**Examples**

```
per=lsp(lynx,ofac=2)
pershow(per)
```

#In Rstudio go to the viewer pane. Move mouse to point of interest.

---

photoperiod	<i>Computes photoperiod</i>
-------------	-----------------------------

---

**Description**

computes sunrise & sunset for day of year and location

**Usage**

```
photoperiod(dayofyear, latitude, longitude, zone = 0, twilight = "civil")
```

**Arguments**

dayofyear	day of ywar 1-366
latitude	e.g. 42.00
longitude	e.g. 9.00
zone	time zone e.g 1 (Vienna)
twilight	"rise/set", "civil" or "nautic"

**Value**

sunrise	vector of sunrises
set	vector of sunsets

**References**

<http://lexikon.astronomie.info/zeitgleichung/>

**Examples**

```
photoperiod (180, 42,9, zone=1, twilight="civil")
```

---

plot.lsp

*Plot Lomb-Scargle Periodogram*

---

**Description**

Plots the normalised power as a function of frequency (or period, depending on type in function lsp).

**Usage**

```
## S3 method for class 'lsp'
plot(x, main = "Lomb-Scargle Periodogram", xlabel = NULL,
     ylabel = "normalized power", level = TRUE, plot=TRUE, ...)
```

**Arguments**

x	Object of class lsp as returned from function lsp.
main	Character. Main title of the periodogram plot. Defaults to "Lomb-Sargle Periodogram".
xlabel	Character. X-axis label of the periodogram plot.
ylabel	Character. Y-axis label of the periodogram plot.
level	Logical. If TRUE, the significance level is displayed as a dashed line.
plot	If TRUE, the periodogram is plotted.
...	Additional graphics parameters

**Details**

Usually, this function is only called by function `lsp`. It maybe called by the user for some control of the output. For better control, plot results from `lsp` (`$scanned`, `$power`) as desired.

**Value**

Invisibly returns the object of class `lsp` it is called with.

**Author(s)**

Thomas Ruf <thomas.p.ruf@me.com>

**See Also**

[lsp](#)

**Examples**

```
data(ibex)
ibex.spec <- lsp(ibex[,2:3],type='period', from=12,to=36,ofac=10, plot=FALSE)

plot.lsp(ibex.spec, main="Tb in Capra ibex",xlabel="Period (h)",ylabel="Power",level=FALSE)
```

---

randlsp

*Randomise Lomb-Scargle Periodogram*

---

**Description**

`randlsp` is used to obtain robust p-values for the significance of the largest peak in a Lomb-Scargle periodogram by randomisation. The data sequence is scrambled repeatedly and the probability of random peaks reaching or exceeding the peak in the original (unscrambled) periodogram is computed.

**Usage**

```
randlsp(repeats=1000,x, times = NULL, from = NULL, to = NULL,
        type = c("frequency", "period"), ofac = 1, alpha = 0.01,
        plot = TRUE, trace = TRUE, ...)
```

**Arguments**

<code>repeats</code>	An integer determining the number of repeated randomisations. Large numbers (>=1000) are better but can make the procedure time-consuming.
<code>x</code>	The data to be analysed. <code>x</code> can be either a two-column numerical dataframe or matrix, with sampling times in column 1 and measurements in column 2, a single numerical vector containing measurements, or a single vector <code>ts</code> object (which will be converted to a numerical vector).



times	If x is a single vector, times can be provided as a numerical vector of equal length containing sampling times. If x is a vector and times is NULL, the data are assumed to be equally sampled and times is set to 1:length(x).
from	The starting frequency (or period, depending on type) to begin scanning for periodic components.
to	The highest frequency (or period, depending on type) to scan.
type	Either “frequency” (the default) or “period”. Determines the type of the periodogram x-axis.
ofac	The oversampling factor. Must be an integer $\geq 1$ . Larger values of ofac lead to finer scanning of frequencies but may be time-consuming for large datasets and/or large frequency ranges (from...to).
alpha	The significance level. The periodogram plot shows a horizontal dashed line. Periodogram peaks exceeding this line can be considered significant at alpha. Defaults to 0.01. Only used if plot=TRUE.
plot	Logical. If TRUE, two plots are displayed (i) The periodogram of the original (unscrambled) data (ii) A histogram of peaks occurring by chance during sequence randomisation. A vertical line is drawn at the height of the peak in a periodogram of the original data.
trace	Logical. If TRUE, information about the progress of the randomisation procedure is printed during the running of randlsp.
...	Additional graphical parameters affecting the histogram plot.

### Details

Function randlsp preserves the actual measurement intervals, which may affect the periodogram (see Nemeč & Nemeč 1985, below). Hence, this is a conservative randomisation procedure.

P-values from both randlsp and lsp increase with the number of frequencies inspected. Therefore, if the frequency-range of interest can be narrowed down *a priori*, use arguments “from” and “to” to do so.

### Value

A named list with the following items:

scanned	A vector containing the frequencies/periods scanned.
power	A vector containing the normalised power corresponding to scanned frequencies/periods.
data	Names of the data vectors analysed.
n	The length of the data vector.
type	The periodogram type used, either “frequency” or “period”.
ofac	The oversampling factor used.
n.out	The length of the output (powers). This can be $>n$ if ofac $>1$ .
peak	The maximum power in the frequency/period interval inspected.
peak.at	The frequency/period at which the maximum peak occurred.

random.peaks	A vector of peaks (with length=repeats) of maximum power values computed from randomised data.
repeats	The number of randomisations.
p.value	The probability that the peak in the original data occurred by chance, computed from randomising the data sequence.

**Author(s)**

Thomas Ruf <thomas.p.ruf@me.com>

**References**

Nemec A.F.L, Nemec J.M. (1985) A test of significance for periods derived using phase-dispersion-minimization techniques. *The Astronomical Journal* **90**:2317–2320

**See Also**

[lsp](#)

**Examples**

```
data(lynx)
set.seed(444)
rand.times <- sample(1:length(lynx),30) # select a random vector of sampling times
randlsp(repeats=1000,lynx[rand.times],times=rand.times)
```

---

summary.lsp

*Summarise Lomb-Scargle Periodogram Results*

---

**Description**

Summary method for class lsp.

**Usage**

```
## S3 method for class 'lsp'
summary(object,...)
```

**Arguments**

object            an object of class lsp.  
...                currently, no other arguments are required.

**Value**

summary.lsp returns a one column data.frame with results from function lsp. Row names and contents are as follows:

Time	Name of the sampling time variable.
Data	Name of the measured variable.
Type	either “frequency” or “period”.
Oversampling factor	The degree of oversampling ( $\geq 1$ ).
From	The lowest frequency (or period, depending on type) inspected.
To	The highest frequency (or period, depending on type) inspected.
# frequencies	The number of frequencies (or periods, depending on type) inspected.
PNmax	The peak normalised power in the periodogram.
At frequency	The frequency at which PNmax occurred.
At period	The period at which PNmax occurred.
P-value (PNmax)	The probability that PNmax occurred by chance, computed from the exponential distribution.

**Author(s)**

Thomas Ruf <thomas.p.ruf@me.com>

**See Also**

[lsp](#)

**Examples**

```
data(lynx)
summary(lsp(lynx))
```

---

summary.randlsp

*Summarise Randomised Lomb-Scargle Periodogram Results*

---

**Description**

Summary method for class randlsp.

**Usage**

```
## S3 method for class 'randlsp'
summary(object,...)
```

**Arguments**

object            an object of class randlsp.  
...                currently, no other arguments are required.

**Value**

summary.randlsp returns a one column data.frame with results from function randlsp. Row names and contents are as follows:

Time	Name of the sampling time variable.
Data	Name of the measured variable.
Type	either “frequency” or “period”.
Oversampling	The degree of oversampling ( $\geq 1$ ).
From	The lowest frequency (or period, depending on type) inspected.
To	The highest frequency (or period, depending on type) inspected.
# frequencies	The number of frequencies (or periods, depending on type) inspected.
PNmax	The peak normalised power in the periodogram.
At frequency	The frequency at which PNmax occurred.
At period	The period at which PNmax occurred.
Repeats	The number of randomisations.
P-value (PNmax)	The probability that PNmax occurred by chance, computed from randomising the data sequence.

**Author(s)**

Thomas Ruf <thomas.p.ruf@me.com>

**See Also**

[randlsp](#)

**Examples**

```
data(lynx)
summary(randlsp(repeats=500, lynx))
```

---

theme_lsp	<i>lsp theme for ggplot2</i>
-----------	------------------------------

---

**Description**

Import lsp ggplot2 theme. It builds on theme\_bw.

**Usage**

```
theme_lsp(bs=18)
```

**Arguments**

bs                    basesize of font

**Value**

A theme element

**Examples**

```
plot(lsp(lynx))+theme_lsp(25)
```

# Index

## \* datasets

deerdat, 5  
ibex, 7  
layla, 8

## \* package

lomb-package, 2

## \* ts

getpeaks, 5  
ggamma, 6  
levopt, 8  
lsp, 9  
pvaluev, 12  
pershow, 14  
plot.lsp, 15  
randlsp, 16  
summary.lsp, 18  
summary.randlsp, 19

randlsp, 2, 10, 11, 16, 20

show, 6  
summary.lsp, 11, 13, 18  
summary.randlsp, 19

theme\_lsp, 21  
ts, 9, 16

actogram, 2, 3

caradat, 4

deerdat, 5

getpeaks, 5, 14  
ggamma, 6

ibex, 7

layla, 8  
levopt, 8  
lomb (lomb-package), 2  
lomb-package, 2  
lsp, 2, 9, 16–19

makedf, 2, 12

pvaluev, 7, 12  
pershow, 14  
photoperiod, 14  
plot.lsp, 15